

# Prestige Hithick


GRES FINE PORCELLANATO COLORATO IN MASSA. FINE FULL-BODY COLOURED PORCELAIN STONEWARE.

Grès cérame coloré pleine masse. Durchgefärbtes Feinsteinzeug. Gres fino porcelánico coloreado en toda su masa. Керамогранит окрашенный в массе.


**FORMATI / SPESSORI. SIZES / THICKNESS. Formats / Épaisseurs. Formate / Stärken. Formatos / Grosors. Форматы / Толщина.**

**GRIP - RETTIFICATO**

$\frac{1}{8}$  20 mm






**60x60 Grip Rett.**  
24"x24" Grip Rect.











**45x90 Grip Rett.**  
18"x36" Grip Rect.

\* La continuità tra le fughe presenti sulla superficie Grip non è garantita. / The continuity of grout lines on the Grip surface is not guaranteed. / La continuité entre les joints présents sur la surface Grip n'est pas garantie. / Die Kontinuität zwischen den Fugen der Oberfläche Grip ist nicht gewährleistet. / La continuidad entre las juntas presentes sobre la superficie Grip no es garantizada. / Ровность швов на противоскользящих поверхностях не гарантирована.

**CODICI ARTICOLO. PRODUCT CODE. Code produit. Artikelnummer. Código de producto. Код артикула.**

	 Pre. Beige	 Pre. Brown	 Pre. Wengè
<b>60x60 Grip Sp. 20 mm Rett.</b> 24"x24" Grip Th. 20 mm Rect.	0139	0140	0141
<b>45x90 Grip Sp. 20 mm Rett.</b> 18"x36" Grip Th. 20 mm Rect.	0136	0137	0138

**CARATTERISTICHE TECNICHE. TECHNICAL FEATURES. Caracteristiques techniques. Technische Eigenschaften. Características técnicas. Технические характеристики.**

<b>NORMA. NORMS. Norme. Norm. Valor. Нормативы.</b>	<b>VALORE MEDIO. AVERAGE VALUE. Valeur Moyenne. Durchschnittswert. Valor Mediano. Среднее значение.</b>
<b>GRIP SP 20mm</b>	
 ISO 10545-6	<b>CONFORME. SUITABLE FOR.</b> Conforme. Konform. Conforme. Соответствующий.
 ISO 10545-12	<b>RESISTE. RESISTANT.</b> Résistant. Beständig. Resistente. Выдерживает.
 B.C.R.A.	> 0,40
 ASTM C 1028 (S.C.O.F.)	≥ 0,60 DRY / ≥ 0,60 WET
 ANSI A137.1:2012 (D.C.O.F.)	≥ 0,42 WET
 DIN 51130	R 11
 DIN 51097	A+B+C
 ISO 10545-13	UB-ULB-UHB

**IMBALLI E PESI. PACKAGING AND WEIGHTS. Emballages et poids. Verpackung und Gewicht. Embalajes y pesos. Упаковка И Вес.**

	Box			Pallet		
	Pcs	Mq/Box	Kg	Colli	Mq/Pallet	Kg S
60x60 Grip Rett. - 24"x24" Grip Rect.	2	0,72	33,40	30	21,60	1002
45x90 Grip Rett. - 18"x36" Grip Rect.	2	0,81	37	27	21,87	999




Pre. Beige



Pre. Brown



Pre. Wengè



# Agorà Hithick

**GRES FINE PORCELLANATO COLORATO IN MASSA. FINE FULL-BODY COLOURED PORCELAIN STONEWARE.**


Grès cérame coloré pleine masse. Durchgefärbtes Feinsteinzeug. Gres fino porcelánico coloreado en toda su masa. Керамогранит окрашенный в массе.

**MARCA CORONA 1741**  
CONTRACT

**FORMATI / SPESSORI. SIZES / THICKNESS. Formats / Épaisseurs. Formate / Stärken. Formatos / Grosors. Форматы / Толщина.**




**GRIP**

$\frac{1}{8}$  20 mm











**60x60 Rett. Grip**  
24"x24" Rect. Grip

**CODICI ARTICOLO. PRODUCT CODE. Code produit. Artikelnummer. Código de producto. Код артикула.**

	 Ago. Grey	 Ago. Beige	 Ago. Nut
<b>60x60 Rett. Grip Sp. 20 mm</b> 24"x24" Rect. Grip Th. 20 mm	0087	0086	0088

**CARATTERISTICHE TECNICHE. TECHNICAL FEATURES. Caracteristiques techniques. Technische Eigenschaften. Características técnicas. Технические характеристики.**

<b>NORMA. NORMS. Norme. Norm. Valor. Нормативы.</b>	<b>VALORE MEDIO. AVERAGE VALUE. Valeur Moyenne. Durchschnittswert. Valor Mediano. Среднее значение.</b>
	<b>GRIP Sp. 20 mm</b>
 ISO 10545-6	<b>CONFORME. SUITABLE FOR.</b> Conforme. Konform. Conforme. Соответствующий.
 ISO 10545-12	<b>RESISTE. RESISTANT.</b> Résistant. Beständig. Resiste. Выдерживает.
 B.C.R.A.	> 0,40
 ASTM C 1028 (S.C.O.F.)	≥ 0,60 DRY / ≥ 0,60 WET
 ANSI A137.1:2012 (D.C.O.F.)	≥ 0,42 WET
 DIN 51130	R 11
 DIN 51097	A+B+C
 ISO 10545-13	UB-ULB-UHB

**IMBALLI E PESI. PACKAGING AND WEIGHTS. Emballages et poids. Verpackung und Gewicht. Embalajes y pesos. Упаковка И Вес.**

	Box			Pallet		
	Pcs	Mq/Box	Kg	Colli	Mq/Pallet	Kg S
60x60 Grip Rett. - 24"x24" Grip Rect.	2	0,72	33,40	30	21,60	1002



Ago. Grey



Ago. Beige



Ago. Nut

# Creation Hthick

GRES FINE PORCELLANATO COLORATO IN MASSA. FINE FULL-BODY COLOURED PORCELAIN STONEWARE.

Grès cérame coloré pleine masse. Durchgefärbtes Feinsteinzeug. Gres fino porcelánico coloreado en toda su masa. Керамогранит окрашенный в массе.

**FORMATI / SPESSORI. SIZES / THICKNESS. Formats / Épaisseurs. Formate / Stärken. Formatos / Grosors. Форматы / Толщина.**



## STRUTTURATO

↓  
↑ 20 mm






**60x60 Strutt. Rett.**  
24"x24" Struct. Rect.

**CODICI ARTICOLO. PRODUCT CODE. Code produit. Artikelnummer. Código de producto. Код артикула.**

	 Crt. Grey	 Crt. Black
<b>60x60 Rett. Strutt. Sp. 20 mm</b> 24"x24" Rect. Struct. Th. 20 mm	0107	0106

**CARATTERISTICHE TECNICHE. TECHNICAL FEATURES. Caracteristiques techniques. Technische Eigenschaften. Características técnicas. Технические характеристики.**

NORMA. NORMS. Norme. Norm. Valor. Нормативы.	VALORE MEDIO. AVERAGE VALUE. Valeur Moyenne. Durchschnittswert. Valor Mediano. Среднее значение.
<b>STRUTTURATO Sp. 20 mm</b>	
 ISO 10545-6	<b>CONFORME. SUITABLE FOR.</b> Conforme. Konform. Conforme. Соответствующий.
 ISO 10545-12	<b>RESISTE. RESISTANT.</b> Résistant. Beständig. Resiste. Выдерживает.
B.C.R.A.	> 0,40
ASTM C 1028 (S.C.O.F.)	≥ 0,60 DRY / ≥ 0,42WET
ANSI A137.1:2012 (D.C.O.F.)	≥ 0,42 WET
DIN 51130	R 11
DIN 51097	A+B+C
 ISO 10545-13	UA-ULA-UHA

**IMBALLI E PESI. PACKAGING AND WEIGHTS. Emballages et poids. Verpackung und Gewicht. Embalajes y pesos. Упаковка И Вес.**

	Box			Pallet		
	Pcs	Mq/Box	Kg	Colli	Mq/Pallet	Kg S
60x60 Strutt. Rett. - 24"x24" Struct. Rect.	2	0,72	33,40	30	21,60	1002



Crt. Grey



Crt. Black

# Stoneline Hthick


GRES FINE PORCELLANATO COLORATO IN MASSA. FINE FULL-BODY COLOURED PORCELAIN STONEWARE.

Grès cérame coloré pleine masse. Durchgefärbtes Feinsteinzeug. Gres fino porcelánico coloreado en toda su masa. Керамогранит окрашенный в массе.

**FORMATI / SPESSORI. SIZES / THICKNESS. Formats / Épaisseurs. Formate / Stärken. Formatos / Grosors. Форматы / Толщина.**






## GRIP

↓  
↑ 20 mm











**60x60 Rett. Grip**  
24"x24" Rect. Grip

**CODICI ARTICOLO. PRODUCT CODE. Code produit. Artikelnummer. Código de producto. Код артикула.**

	 Stl. Ivory	 Stl. Gold	 Stl. Silver	 Stl. Grey	 Stl. Black
<b>60x60 Rett. Grip Sp. 20 mm</b> 24"x24" Rect. Grip Th. 20 mm	8361	8406	8407	8362	8405

**CARATTERISTICHE TECNICHE. TECHNICAL FEATURES. Caracteristiques techniques. Technische Eigenschaften. Características técnicas. Технические характеристики.**

<b>NORMA. NORMS. Norme. Norm. Valor. Нормативы.</b>	<b>VALORE MEDIO. AVERAGE VALUE. Valeur Moyenne. Durchschnittswert. Valor Mediano. Среднее значение.</b>
<b>GRIP SP. 20 mm</b>	
 ISO 10545-6	<b>CONFORME. SUITABLE FOR.</b> Conforme. Konform. Conforme. Соответствующий.
 ISO 10545-12	<b>RESISTE. RESISTANT.</b> Résistant. Beständig. Resiste. Выдерживает.
 B.C.R.A.	> 0,40
 ASTM C 1028 (S.C.O.F.)	≥ 0,60 DRY / ≥ 0,60 WET
 ANSI A137.1:2012 (D.C.O.F.)	≥ 0,42 WET
 DIN 51130	R 11
 DIN 51097	A+B+C
 ISO 10545-13	UA-ULA-UHA

**IMBALLI E PESI. PACKAGING AND WEIGHTS. Emballages et poids. Verpackung und Gewicht. Embalajes y pesos. Упаковка И Вес.**

	Box			Pallet		
	Pcs	Mq/Box	Kg	Colli	Mq/Pallet	Kg S
60x60 Grip Rett. - 24"x24" Grip Rect.	2	0,72	33,40	30	21,60	1002



# Atelier Hthick

**GRES FINE PORCELLANATO COLORATO IN MASSA. FINE FULL-BODY COLOURED PORCELAIN STONEWARE.**

Grès cérame coloré pleine masse. Durchgefärbtes Feinsteinzeug. Gres fino porcelánico coloreado en toda su masa. Керамогранит окрашенный в массе.

**FORMATI / SPESSORI. SIZES / THICKNESS. Formats / Épaisseurs. Formate / Stärken. Formatos / Grosors. Форматы / Толщина.**



## STRUTTURATO

↓  
↑ 20 mm











**60x60 Strutt. Rett.**  
24"x24" Struct. Rect.

## CODICI ARTICOLO. PRODUCT CODE. Code produit. Artikelnummer. Código de producto. Код артикула.

	 Atl. Beige	 Atl. Brown
<b>60x60 Rett. Strutt. Sp. 20 mm</b> 24"x24" Rect. Struct. Th. 20 mm	8363	8364

## CARATTERISTICHE TECNICHE. TECHNICAL FEATURES. Caracteristiques techniques. Technische Eigenschaften. Características técnicas. Технические характеристики.

NORMA. NORMS. Norme. Norm. Valor. Нормативы.	VALORE MEDIO. AVERAGE VALUE. Valeur Moyenne. Durchschnittswert. Valor Mediano. Среднее значение.
<b>STRUTTURATO SP. 20 mm</b>	
 ISO 10545-6	<b>CONFORME. SUITABLE FOR.</b> Conforme. Konform. Conforme. Соответствующий.
 ISO 10545-12	<b>RESISTE. RESISTANT.</b> Résistant. Beständig. Resiste. Выдерживает.
 B.C.R.A.	> 0,40
 ASTM C 1028 (S.C.O.F.)	≥ 0,60 DRY / ≥ 0,60 WET
 ANSI A137.1:2012 (D.C.O.F.)	≥ 0,42 WET
 DIN 51130	R 11
 DIN 51097	A+B+C
 ISO 10545-13	UA-ULA-UHA

## IMBALLI E PESI. PACKAGING AND WEIGHTS. Emballages et poids. Verpackung und Gewicht. Embalajes y pesos. Упаковка И Вес.

	Box			Pallet		
	Pcs	Mq/Box	Kg	Colli	Mq/Pallet	Kg S
60x60 Strutt. Rett. - 24"x24" Struct. Rect.	2*	0,720	33,4	30	21,60	1002



# Matrix Hithick

GRES FINE PORCELLANATO COLORATO IN MASSA. FINE FULL-BODY COLOURED PORCELAIN STONEWARE.

Grès cérame coloré pleine masse. Durchgefärbtes Feinsteinzeug. Gres fino porcelánico coloreado en toda su masa. Керамогранит окрашенный в массе.

**FORMATI / SPESSORI. SIZES / THICKNESS. Formats / Épaisseurs. Formate / Stärken. Formatos / Grosors. Форматы / Толщина.**





## STRUTTURATO

$\frac{1}{2}$  20 mm





45x90 Strutt. Rett.  
18"x36" Struct. Rect.

## CODICI ARTICOLO. PRODUCT CODE. Code produit. Artikelnummer. Código de producto. Код артикула.

	 Mtx. Beige	 Mtx. Grey	 Mtx. Silver	 Mtx. Dark
45x90 Rett. Strutt. Spessore 20 mm 18"x36" Rect. Struct. Thickness 20 mm	0617	9912	9913	9914

## CARATTERISTICHE TECNICHE. TECHNICAL FEATURES. Caracteristiques techniques. Technische Eigenschaften. Características técnicas. Технические характеристики.

NORMA. NORMS. Norme. Norm. Valor. Нормативы.	VALORE MEDIO. AVERAGE VALUE. Valeur Moyenne. Durchschnittswert. Valor Mediano. Среднее значение.
<b>STRUTTURATO SP. 20 mm</b>	
 ISO 10545-6	<b>CONFORME. SUITABLE FOR.</b> Conforme. Konform. Conforme. Соответствующий.
 ISO 10545-12	<b>RESISTE. RESISTANT.</b> Résistant. Beständig. Resiste. Выдерживает.
B.C.R.A.	> 0,40
ASTM C 1028 (S.C.O.F.)	≥ 0,60 DRY / ≥ 0,60 WET
ANSI A137.1:2012 (D.C.O.F.)	≥ 0,42 WET
DIN 51130	R 11
DIN 51097	A+B+C
ISO 10545-13	UA-ULA-UHA

## IMBALLI E PESI. PACKAGING AND WEIGHTS. Emballages et poids. Verpackung und Gewicht. Embalajes y pesos. Упаковка И Вес.

	Box			Pallet		
	Pcs	Mq/Box	Kg	Colli	Mq/Pallet	Kg S
45x90 Strutt. Rett. - 18"x36" Struct. Rect.	2	0,81	37	27	21,87	999



# Universe Hithick


**GRES FINE PORCELLANATO COLORATO IN MASSA. FINE FULL-BODY COLOURED PORCELAIN STONEWARE.**

Grès cérame coloré pleine masse. Durchgefärbtes Feinsteinzeug. Gres fino porcelánico coloreado en toda su masa. Керамогранит окрашенный в массе.

**FORMATI / SPESSORI. SIZES / THICKNESS. Formats / Épaisseurs. Formate / Stärken. Formatos / Grosors. Форматы / Толщина.**





## STRUTTURATO

20 mm





**45x90 Strutt. Rett.**  
18"x36" Struct. Rect.

## CODICI ARTICOLO. PRODUCT CODE. Code produit. Artikelnummer. Código de producto. Код артикула.

	 Unv. Grey	 Unv. Beige	 Unv. Olive	 Unv. Black
<b>45x90 Rett. Strutt. Spessore 20 mm</b> 18"x36" Rect. Struct. Thickness 20 mm	8916	8917	8918	8919

## CARATTERISTICHE TECNICHE. TECHNICAL FEATURES. Caracteristiques techniques. Technische Eigenschaften. Características técnicas. Технические характеристики.

NORMA. NORMS. Norme. Norm. Valor. Нормативы.	VALORE MEDIO. AVERAGE VALUE. Valeur Moyenne. Durchschnittswert. Valor Mediano. Среднее значение.
<b>STRUTTURATO SP. 20 mm</b>	
 ISO 10545-6	<b>CONFORME. SUITABLE FOR.</b> Conforme. Konform. Conforme. Соответствующий.
 ISO 10545-12	<b>RESISTE. RESISTANT.</b> Résistant. Beständig. Resiste. Выдерживает.
B.C.R.A.	> 0,40
ASTM C 1028 (S.C.O.F.)	≥ 0,60 DRY / ≥ 0,60 WET
ANSI A137.1:2012 (D.C.O.F.)	≥ 0,42 WET
DIN 51130	R 11
DIN 51097	A+B+C
ISO 10545-13	UA-ULA-UHA

## IMBALLI E PESI. PACKAGING AND WEIGHTS. Emballages et poids. Verpackung und Gewicht. Embalajes y pesos. Упаковка И Вес.

	Box			Pallet		
	Pcs	Mq/Box	Kg	Colli	Mq/Pallet	Kg S
45x90 Strutt. Rett. - 18"x36" Struct. Rect.	2	0,81	37	27	21,87	999



Unv. Grey




Unv. Beige



Unv. Olive



Unv. Black



# Work Hithick

**GRES FINE PORCELLANATO COLORATO IN MASSA. FINE FULL-BODY COLOURED PORCELAIN STONEWARE.**

Grès cérame coloré pleine masse. Durchgefärbtes Feinsteinzeug. Gres fino porcelánico coloreado en toda su masa. Керамогранит окрашенный в массе.

**FORMATI / SPESSORI. SIZES / THICKNESS. Formats / Épaisseurs. Formate / Stärken. Formatos / Grosors. Форматы / Толщина.**




## STRUTTURATO

$\frac{1}{2}$  20 mm





**45x90 Strutt. Rett.**  
18"x36" Struct. Rect.

**CODICI ARTICOLO. PRODUCT CODE. Code produit. Artikelnummer. Código de producto. Код артикула.**

	 Wor. Sand	 Wor. Grey	 Wor. Dark
<b>45x90 Rett. Strutt. Spessore 20 mm</b> 18"x36" Rect. Struct. Thickness 20 mm	8920	8921	8922

**CARATTERISTICHE TECNICHE. TECHNICAL FEATURES. Caracteristiques techniques. Technische Eigenschaften. Características técnicas. Технические характеристики.**

<b>NORMA. NORMS. Norme. Norm. Valor. Нормативы.</b>	<b>VALORE MEDIO. AVERAGE VALUE. Valeur Moyenne. Durchschnittswert. Valor Mediano. Среднее значение.</b>
<b>STRUTTURATO SP. 20 mm</b>	
 ISO 10545-6	<b>CONFORME. SUITABLE FOR.</b> Conforme. Konform. Conforme. Соответствующий.
 ISO 10545-12	<b>RESISTE. RESISTANT.</b> Résistant. Beständig. Resiste. Выдерживает.
B.C.R.A.	> 0,40
ASTM C 1028 (S.C.O.F.)	≥ 0,60 DRY / ≥ 0,60 WET
ANSI A137.1:2012 (D.C.O.F.)	≥ 0,42 WET
DIN 51130	R 11
DIN 51097	A+B+C
ISO 10545-13	UA-ULA-UHA

**IMBALLI E PESI. PACKAGING AND WEIGHTS. Emballages et poids. Verpackung und Gewicht. Embalajes y pesos. Упаковка И Вес.**

	Box			Pallet		
	Pcs	Mq/Box	Kg	Colli	Mq/Pallet	Kg S
45x90 Strutt. Rett. - 18"x36" Struct. Rect.	2	0,81	37	27	21,87	999





# Next Step Hthick

**GRES FINE PORCELLANATO COLORATO IN MASSA. FINE FULL-BODY COLOURED PORCELAIN STONEWARE.**

Grès cérame coloré pleine masse. Durchgefärbtes Feinsteinzeug. Gres fino porcelánico coloreado en toda su masa. Керамогранит окрашенный в массе.

**FORMATI / SPESSORI. SIZES / THICKNESS. Formats / Épaisseurs. Formate / Stärken. Formatos / Grosors. Форматы / Толщина.**


## STRUTTURATO

$\frac{1}{2}$  20 mm





**45x90 Strutt. Rett.**  
18"x36" Struct. Rect.

## CODICI ARTICOLO. PRODUCT CODE. Code produit. Artikelnummer. Código de producto. Код артикула.

	 Nes. Grey Stone
<b>45x90 Rett. Strutt. Spessore 20 mm</b> 18"x36" Rect. Struct. Thickness 20 mm	9404

## CARATTERISTICHE TECNICHE. TECHNICAL FEATURES. Caracteristiques techniques. Technische Eigenschaften. Características técnicas. Технические характеристики.

NORMA. NORMS. Norme. Norm. Valor. Нормативы.	VALORE MEDIO. AVERAGE VALUE. Valeur Moyenne. Durchschnittswert. Valor Mediano. Среднее значение.
<b>STRUTTURATO SP. 20 mm</b>	
 ISO 10545-6	<b>CONFORME. SUITABLE FOR.</b> Conforme. Konform. Conforme. Соответствующий.
 ISO 10545-12	<b>RESISTE. RESISTANT.</b> Résistant. Beständig. Resiste. Выдерживает.
B.C.R.A.	> 0,40
ASTM C 1028 (S.C.O.F.)	≥ 0,60 DRY / ≥ 0,60 WET
ANSI A137.1:2012 (D.C.O.F.)	≥ 0,42 WET
DIN 51130	R 11
DIN 51097	A+B+C
ISO 10545-13	UA-ULA-UHA

## IMBALLI E PESI. PACKAGING AND WEIGHTS. Emballages et poids. Verpackung und Gewicht. Embalajes y pesos. Упаковка И Вес.

	Box			Pallet		
	Pcs	Mq/Box	Kg	Colli	Mq/Pallet	Kg S
45x90 Strutt. Rett. - 18"x36" Struct. Rect.	2	0,81	37	27	21,87	999

